

cudy


Model: LT400 Outdoor

# Outdoor 4G LTE

Cat. 4 N300 Wi-Fi Router

- ✓ 4G LTE FDD&TDD Cat 4
- IP65 Outdoor Waterproof
- Detachable 4G Antennas
- VPN Server&Client





**300 Mbps**  
2.4 GHz



## Always-On 4G LTE Network

Transform everywhere 4G LTE into network for all. LT400 Outdoor features 4G Cat. 4 to reach speeds of up to 150 Mbps in download and 50 Mbps in upload, suitable for web browsing, video streaming, surveillance, and POS service.

## Get Wi-Fi Where You Need It

Tested in the field for years to ensure universal compatibility and deliver a smooth connection. Simply plug in a SIM card and power on this elegant piece of technology to enjoy fast and stable Wi-Fi, whether you're at home or working remotely.

## Software




### FDD+TDD

Support FDD and TDD, meet the needs of various ISPs and provide a good user experience for customers. Support most cellular operators around the world.



### VPN

With built-in VPN, this router can easily establish a connection to VPN Server to transport all your online data and traffic, securing it with its encryption at the same time.



### DDNS

By assigning a custom domain name to your home router's IP address, DDNS function will update automatically as your home IP continues to change. Compatible with 15 more DDNS providers.



### Guest Network

Guest Network separate guest access from your family network. Maintain high security across your network to help ensure your privacy is safe while online.



## Specifications

- 4G LTE Cat.4 Up to 150 Mbps Download
- N300 Dual-Band Wi-Fi
- 1× Gigabit Ethernet Port
- 2× Detachable Cellular Antennas
- Nano SIM Card Slot
- VPN Server and Client
- IP65 Water/Dust-Proof
- Operation Temperatures -20/60 °C

## Hardware

|               |  |
|---------------|--|
| CPU           | Mediatek Dual Core 880 MHz                                   |
| 4G            | EC25AFX  |
| DRAM          | 64 MB (512 Mbit) DDR3  |
| Flash         | 8 MB (64 Mbit)   |
| Ethernet      | 1× 10/100Mbps LAN/WAN Port<br>(Support Passive PoE)          |
| SIM card slot | 1× Nano SIM Slots  |
| Button        | 1× Reset Button  |
| Antennas      | 2× Internal WiFi Antennas<br>2× Detachable Cellular Antennas |
| LED           | System / Internet / Ethernet / 2.4G Wi-Fi / Signal Strength  |

## Data Speed

|          |   |
|----------|---|
| Wi-Fi    | 2.4 GHz (802.11n/g/b, 300 Mbps)             |
| Cellular | FDD: Max 150 Mbps (DL)/ 50 Mbps (UL)        |
|          | TDD: Max 130 Mbps (DL)/ 30 Mbps (UL)        |
|          | DC-HSDPA: Max 21 Mbps (DL) / 5.76 Mbps (UL) |
|          | WCDMA: 384 Kbps (DL/UL)                     |

## Mobile Frequency Band

|              |                                 |
|--------------|---------------------------------|
| LTE Category | Cat. 4                          |
| Bands        | LTE-FDD: B2/4/5/12/13/14/66/ 71 |
|              | WCDMA: B2/3/5                   |



## Software Features

|                            |  |
|----------------------------|--|
| DHCP                       | Server, Client List, Address Reservation   |
| NAT                        | Port Forwarding, Port Triggering, UPnP, DMZ  |
| Firewall                   | Mac Filter, IP Filter, Domain Filter   |
| Management                 | Parental Control, Guest Network, Access Control,<br>Local Management, Remote Management, Wake on LAN             |
| DDNS                       | Compatible with 15 more DDNS providers   |
| VPN Sever & Client         | PPTP/L2TP/OpenVPN/WireGuard/Zerotier   |
| DNS over TLS               | Cloudflare/Google/Quad9  |
| Schedule                   | Schedule Reboot /Wi-Fi Schedule  |
| Internet Protocol version  | IPv4/IPv6  |
| IPv6                       | Relay<br>Dynamic(SLAAC/DHCPv6)<br>Static (Fixed IP)<br>Passthrough<br>MAP-E (Dual-stack)<br>DS-Lite (Dual-stack) |
| Quality of Service (QoS)   | Support  |
| SMS                        | Send/Receive/Data-Usage Notification   |
| TTL configuration          | Support  |
| Band Selection (Band Lock) | Support  |
| CWMP Protocol              | TR069 / TR098 / TR111 / TR181  |

## Others

|                     |   |
|---------------------|---|
| Physical            | Product Dimension:<br>Router Body: 240×100×53.7 mm (9.5×3.9×2.1 inches);<br>4G Antennas: 197.5×21.6×15.5 mm (7.8×0.9×0.6 inches)                                  |
| Waterproof          | IP65  |
| Environmental       | Operation Temperature: -20°C to 60°C (-4°F to 140°F)<br>Storage Temperature: -40°C to 70°C (-40°F to 158°F)   |
| Package Contents    | 4G LTE WiFi Router<br>Power Adapter<br>RJ45 Ethernet Cable<br>Quick Installation Guide  |
| System Requirements | Systems with wireless or wired network connectivity<br>Web browser, such as Edge, Firefox, Chrome, or Safari<br>Internet access subscription with ISP or Carriers |